

QUALITY CONTROL CERTIFICATE



Product name : Pseudomonas-CN-Agar (ISO 16266)
Abbreviation : PCN
Article code : 40-1286
Filling Volume : 18 ml

Batch number : 12860580
Storage temp. : 4-10 °C
Expiration date : 01-07-2022
(for sealed enclosure as dd-mm-yyyy)

Typical Formula

*Ingredients in gram per litre of nutrient medium * :*

Gelatine peptone	16
Casein hydrolysate	10
Potassium sulphate, anhydrous	10
Magnesium chloride, anhydrous	1.4
Agar	11
Cetrimide	0.2
Nalidixic acid [mg]	15
Glycerine [ml]	10

** Adjusted as required to meet performance standards.*

Physical Properties

Test	Criterion	Result	Conforms
pH	7.1 ± 0.2	7.1	C
Color	light beige	light beige	C
Consistency	agar	agar	C
Gel Strength		Conforms	C
Appearance	Clear:Yes Partic.:No	Clear:Yes Part.:No	C

Sterility Check

Incubation-condition	Result	Conforms
44-52 hours 30 ±1 °C	Sterile	C

Growth Properties on next page.

Quality Control Certificate

Product name : Pseudomonas-CN-Agar (ISO 16266)
Abbreviation : PCN
Article code : 40-1286

Batch number : 12860580
Storage temp. : 4-10 °C
Expiration date : 01-07-2022

Growth Properties

• Incubation-condition : 40-48 hours 37 ±1 °C Aerobic

Micro-organisms	Strain	Method*	Electivity**	CFU	CFU-ref	Result	Crit.	Conf.
Pseudomonas aeruginosa	ATCC 10145	06	green, UV fluorescent	90	117	0.77	≥ 0.5	C
	WDCM 00024							
	NCTC 10332							
Enterococcus faecalis	ATCC 19433	07	n.a.	n.a.	61000	0	≤ 0	C
	WDCM 00009							
	NCTC 775							
Escherichia coli	ATCC 8739	07	n.a.	n.a.	99000	0	≤ 0	C
	WDCM 00012							
	NCTC 12923							

- * Method 06 = TV 5.06 Selective enumeration agar ; Productivity of solid media ; quantitative method (acc. ISO 11133)
Result: Productivity-Ratio (cfu test / cfu ref) ; inoculum 10² cfu
- * Method 07 = TV 5.07 Selective enumeration agar ; Selectivity of solid media ; qualitative method (acc. ISO 11133)
Result: Growth ; 2 = good, 1 = slight, 0 = no growth ; inoculum 10⁴-10⁶ cfu
- ** Electivity denotes the properties of the colony and/or their effect on the morphological characteristics of the medium
CFU denotes Colony Forming Units counted on batch. CFU-ref denotes Colony Forming Units counted on reference plate.
C = Conforms X = Does not conform - = Not tested
Keep protected from light and at a constant temperature.
The test results reported on this report were obtained from a sample of the batch submitted to the laboratory.

Xebios is certified according to DIN EN ISO 9001. Our microbiological quality control is carried out by a microbiological laboratory accredited according to EN ISO/IEC 17025. (RvA Registration no.: RvA-L 614).
This laboratory certificate is generated electronically and valid without a signature.
Results were obtained from laboratory report X20220305865.

Release Date :
07-04-2022
(dd-mm-yyyy)

Crit.version :5 Document ID : Q20220305865